

(Garuda Sign)

Department the Internal Trade

Notification

Re: to examine and certify Measurement Gauge to examine outside B.E.2545

Under Section 9 of the Act of Weight and Measures B.E.2542 of the Commandment In that case where the Measurement Gauges which are to be examined are embedded, or are difficult to move, or are in great number, the applicant may request the Competent Official to examine outside the Central Bureau or Branch Bureau, and shall pay the performance fee to the Competent Official at the rate prescribed in the Ministerial Regulation, and shall pay necessary expenses for the transportation of the Competent Official as necessary and actually paid. The Director-General of the Internal Trade Department. Issue the following notice

Clause 1. In addition the Measurement Gauges which are to be examined are embedded, or are difficult to move so deemed to Measurement Gauge types and number as stated in the footnote to this announcement, are in great number. The applicant may request the Competent Official to examine outside the Central Bureau or Branch Bureau

Clause 2. The applicant may request the Competent Official to examine outside the Central Bureau or Branch Bureau. Act as follows.

- (1) Shall be submitted to a Competent Official at the Central Bureau or a Branch Bureau. Appointment to staff at least 1 day in advance to Measurement Gauge types and number and the date, time and place thereof, as well.
- (2) Prepare Place and Measurement Gauges to be sure to check the condition immediately.
- (3) Provide transportation prototype personnel and equipment used. If the transfer cannot be arranged, the payment shall be made to the competent official at the rate prescribed in the Ministerial Regulations and

must pay the necessary expenses for transportation of the competent official as necessary. And actually pay

Clause 3. Competent Official Sign up for the application. Will present bosses respectively. Or assigned person to consider the next order.

Clause 4. To check out the testimonials for the outdoor scales. If it is necessary to use a crane to carry out a task, make a testimony to our weighing platform, a weighing platform, or a balance weighing up to 10,000 kg. Or have to use a vehicle to check the fuel cell (Mobile) with the standard to perform the test to certify fuel volume gauge at the service station. Competent Official shall consider the order accordingly. And to comply with government regulations on the use of such cars.

Clause 5. In the case of failure to comply with this announcement, to approve the Director General of the Department of Commercial Registration to rule on the case. But it is extremely urgent. If not in a hurry, it can cause damage. The Director of the Weighbridge Bureau may, at the request of the applicant, file a request as deemed appropriate. Then report to the Director General Department of Commercial Registration as soon.

Given on the 14th day of May B.E. 2545

Orchit Singalavanich
(Ms. Orchit Singalavanich)
Director General
Of the Internal Trade Department